

This Manufacturer Certification Statement is provided to certify that the highlighted exterior door slabs listed below, when installed properly, meet the specific energy efficiency criteria to qualify for a tax credit under the Tax Relief, Unemployment Insurance Reauthorization and Job Creation Act of 2010. Please visit www.energystar.gov/taxcredit for more information. Product must be purchased and installed from 1/1/2011 to 12/31/2011.

Taylor Building Products stipulates compliance with NFRC requirements to the standards listed below, using the most current NFRC approved spectral data.

85221.09-201-45 ATI Expires 8/26/2012 Revised 11/16/10

Thermal Performance Test

NFRC 100 - Procedure for Determining Fenestration Product U-Factors

NFRC 200 - Procedure for Determining Fenestration Product SHGC and VT

NFRC 500 - Procedure for Determining Fenestration Product Condensation Resistance Values

TAYLOR WOOD EDGE STEEL DOOR - EDGEWOOD

EMBOSSED PANEL U-FACTOR 0.12, SHGC 0.01

<u>Glass/Door Type</u>	1/2" Glass, Clear, Air U-Factor	1/2" Glass, Clear, Air SHGC	1/2" Glass, Low E, Air U-Factor	1/2" Glass, Low E, Air SHGC	1/2" Glass, Low E, Argon U-Factor	1/2" Glass, Low E, Argon SHGC
	1/4 Lite	0.15	0.03	0.15	0.02	0.14
1/2 Lite	0.26	0.2	0.23	0.11	0.21	0.11
3/4 Lite	0.33	0.29	0.28	0.16	0.25	0.16
Full Lite	0.35	0.32	0.29	0.17	0.27	0.17

<u>Glass/Door Type</u>	1" Glass, Clear, Air U-Factor	1" Glass, Clear, Air SHGC	1" Glass, Low E, Air U-Factor	1" Glass, Low E, Air SHGC	1" Glass, Low E, Argon U-Factor	1" Glass, Low E, Argon SHGC
	1/4 Lite	0.15	0.03	0.14	0.02	0.14
1/2 Lite	0.25	0.2	0.21	0.11	0.20	0.11
3/4 Lite	0.31	0.29	0.25	0.16	0.23	0.15
Full Lite	0.33	0.32	0.26	0.17	0.24	0.17

<u>Glass/Door Type</u>	1" Decorative, Air U-Factor	1" Decorative, Air SHGC	1" Decorative, Low E, Air U-Factor	1" Decorative, Low E, Air SHGC	1" Decorative, Low E, Argon U-Factor	1" Decorative, Low E, Argon SHGC
	1/4 Lite	0.14	0.05	0.14	0.03	0.14
1/2 Lite	0.21	0.16	0.19	0.09	0.18	0.09
3/4 Lite	0.25	0.24	0.22	0.13	0.21	0.13
Full Lite	0.27	0.26	0.24	0.15	0.22	0.14

NOTES: All Low-E glass ratings based on Low E with an (e = 0.044 or better), SHGC for clear glass units is without grids.

1/4, 1/2, 3/4 lites values are from embossed panel data, Full lite data is from flush panels

Full testing information available upon request

Meets or exceeds Energy Star® Requirements for Door

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.

K R Bulow

Kevin R. Bulow
Product and R&D Manager
Taylor Building Products
2/1/2011

